



杭州镭速清洗设备有限公司

Hangzhou Leisu Cleaning Equipment Co., Ltd

ADD: No. 86 HongDa Rd, XiaoShan, HangZhou, ZheJiang, China, 311200.

Website: <http://www.leisuwash.com> <http://www.carwashtouchless.com> <http://www.leisu360.com>


Mobile Ph.: +86-15868499311 (WhatsApp, Wechat)

Email: Leisuwash@gmail.com

Skype: Leisuwash

WeChat: Leisuwash

Leisuwash S90 Touchless Car Wash Equipment



Functions

1. High pressure pre-wash for under chassis and wheels.

Equipped with a unique chassis and fan hub flush function, 90bar high pressure water can effectively remove dirt on chassis, body sides and wheels.



2. Smart 360 rotate arm, spray various washing chemicals with high-precision proportioning technology.

100% accurate measurement with adjustable ratio. only 20~50ml pre-soak consumption for washing one car through high precision chemical mixing system, save material and cost efficiently.



3. Smart 360 rotate arm, Flush car body 360° with high pressure water.

Complete 360° rotating within 50 seconds, up to 80bar high pressure water can easily remove the dirt.



4. Magic color polish shampoo.

Thick foam makes cleaning maintenance component fuller contact with dirt, thereby improving the efficiency of decontamination, making the paint colors more moist, bright lights. Unique soft-type broad-spectrum activity of ion cleansing agents, emulsifying effective daily cleaning dirt on the car body and non-corrosive for the car paint, wheels, tires, window glass.




5. Soft water with crystal wax coat.

Soft water can make magic crystal coating color shampoo and wax completely adsorbed body surface, forming a multi-layered interaction strength protective film, with superior protection of car paint.



6. Stand alone air drying system. (Optional)

Leisuwash S90 Configuring 4sets 12kw air dryers can fast drying the vehicle up to 90%.



Leisuwash S90 -- Digital Collision Avoidance System

The intelligent collision avoidance system can stop the equipment when the rotating arm touch the vehicle body in order to ensure the safety during the car wash.



Collision avoidance video Link:

<https://youtu.be/zXmGugl-bBs>

Leisuwash S90 Car Wash Equipment Demonstration video link:

<https://youtu.be/OvhLE2tduGk>

Leisuwash S90 – High Quality

Leisuwash S90 Car wash equipment establish German Pinfl or Italy Bertolini high pressure piston pump, French Schneider Electricals, German Siemens PLC, German P+F ultrasonic sensor, Aluminum waterproof motor with Variable frequency drive, Hot-dip galvanized mounting frames, 7 inch color touch screen, 304 stainless steel rotate arm.

LEISUWASH 雄鹰 S90

70 1015 German Pinfl or Italy Bertolini pump



经久耐用 Machine Frame- Complete Galvanized



卓越品质 German P+F Ultrasonic Sensor



高压冲洗 304 Stainless Steel Rotate Arm



性能优越 German Siemens PLC



安全可靠 Mounting Frame- Complete Galvanized




Leisuwash S90 - Technical Parameters:

Main machine size	2900mm*1000mm*660mm
Rail length	6000mm
Min Mounting Dimensions (length*width*height)	7000mm*3300mm*3300mm
Max car wash size (length*width*height)	5500mm*2600mm*2000mm
Power Requirement	380V/16Kw, 50Hz/60Hz
Air switch	80A air switch
Air fan motor power	4sets/12Kw
Control System	German Siemens Industrial Control PLC
Electrical System	French Schneider Electricals
Metering pump	Well-Off/New Dose
Sensor System	German P+F ultrasonic sensor system
Speed	360 wash 50 seconds.
Pre-soak consumption	20~50ML/Car (Depends on chemical proportioning)
Polish shampoo consumption	50~100ML/Car
Crystal wax consumption	20~40ML/Car
Water consumption	Fast wash 120L/car, Super wash 220L/car
Electricity consumption	Fast wash 0.5 KW·H/car, Super wash 1 KW·H/car

Leisuwash S90 – Easy Installation, Easy Maintenance.

Leisuwash 福鹰 S90
TOUCH FREE IN BAY AUTOMATIC VEHICLE WASH SYSTEM



Packing details:

Polywood case for main machine: 3170*1260*1340mm
Polywood case for water pump system: 1340*800*600mm
Polywood case for chemical mixing system: 920*545*610mm
Rails: 2pcs (6 meters)
Frames: 6pcs
Shipping weight: 1500kgs,
Shipping volume: 8CBM.

Delivery period:

15~20 days

Payment terms:

T/T or L/C

Shipping terms:

EXW, FOB or CIF

Leisuwash thousands installations in overseas:

<https://www.leisuwash.com/clients/>

Leisuwash brochures with FAQ download page:

<https://www.leisuwash.com/download/>

Leisuwash S90 Car Wash Equipment Demonstration Video:

<https://youtu.be/OvhLE2tduGk>

Facebook Channel:

<https://www.facebook.com/Leisuwashing>

Instagram Channel:

<https://www.instagram.com/leisuwash360/>

Customers feedbacks are real !

<https://leisuwash.ru/> (Russia Representative 1)

<http://www.robotcarwash.ru/> (Russia Representative 2)

УмнаяМойка.рф (Russia Representative 3)

<http://www.aso-ler.rs> (Serbia Representative)

<https://lavadolaser.cl> (Chile Representative)

<http://www.carwashexpress.com.br> (Brazil Representative)

<https://cyberwash.com.ua> (Ukraine Representative 1)

<http://robowash.com.ua/> (Ukraine Representative 2)

<http://www.amb-tech.pl> (Poland Representative)

<http://leitai.tw> (Taiwan Representative)

<http://www.carwashexpress.com.ar> (Argentina Representative)

<http://autotech.bg> (Bulgaria Representative)